



SAFETY DATA SHEET

Astonish Mould & Mildew Blaster

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Astonish Mould & Mildew Blaster
Product number	995501
Internal identification	9955F10V1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Removal of mould and mildew stains on a household scale For non-porous hard surfaces.
Uses advised against	Avoid contact with fabrics. Avoid contact with fabrics. Avoid prolonged contact with with rubber and metal surfaces. Check colour compatibility before use. Do not mix with other cleaning products.

1.3. Details of the supplier of the safety data sheet

Supplier	The London Oil Refining Company Ltd Astonish House Unit 1 Premier Point Staithgate Lane Bradford, BD6 1DW, UK Tel: +44 1274 767440 (8am-4pm Mon-Fri) www.astonishcleaners.co.uk
----------	---

Astonish Cleaners Europe Ltd
38 Main Street
Swords
Co. Dublin
Republic of Ireland
K67E0A2
Tel: +353 768 885288 (8am-4pm Mon-Fri)
www.astonishcleaners.eu

Contact person	info@astonish.co.uk info@astonishcleaners.eu
----------------	--

Manufacturer	As supplier.
--------------	--------------

1.4. Emergency telephone number

Emergency telephone	UK - Emergency Telephone: +44 (0) 1274 767440 (8am-4pm Mon-Fri). Alternatively in UK: Contact NHS 111 Telephone 111 (24 hours a day, 7 days a week); Website 111.nhs.uk or a doctor. ROI - Emergency Telephone: +353 768 885288 (8am-4pm Mon-Fri) Poisons Information Centre of Ireland (ROI): + 353 (1) 809 2166 (8am-10pm 7 days a week)
---------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Astonish Mould & Mildew Blaster

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Warning
Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P264 Wash contaminated skin thoroughly after handling. P264 Wash hands thoroughly after handling. P280 Wear protective gloves and eye protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention.
Supplemental label information	EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine). Not Intended for Pesticidal Use
Additional Labelling	None
Detergent labelling	< 5% anionic surfactants, < 5% chlorine-based bleaching agents, < 5% non-ionic surfactants, < 5% perfumes

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.2. Mixtures

sodium hypochlorite		1-5%
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01-2119488154-34-XXXX
M factor (Acute) = 10		
Classification Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400		

Astonish Mould & Mildew Blaster

Sodium Hydroxide <1%		
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314		
Amines, C12-18(even numbered)-alkyldimethyl, N-oxides <1%		
CAS number: 68955-55-5	EC number: 931-341-1	REACH registration number: 01-2119489396-21-XXXX
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice if recovery not rapid.
Ingestion	Drink water. If symptoms persist seek medical advice.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Possible mild irritation of breathing passage and possible mouth irritation.
Ingestion	Possible mild stomach upset and mild soreness of mouth.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No data available
Specific treatments	No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use extinguisher suitable to cause of fire.
-------------------------------------	---

Astonish Mould & Mildew Blaster

5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion. Heat may result in chlorine gas, hydrogen chloride gas and chlorine oxides.

5.3. Advice for firefighters

Protective actions during firefighting Use protection suitable to cause of fire.

Special protective equipment for firefighters Wear breathing apparatus suitable for chlorine gas

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Product is intended to be rinsed away to sewer after use. For bigger spillages non-household spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area clean with a damp cloth.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact with skin and eyes. Do not mix with other products. May release dangerous gas (chlorine). Use only in well-ventilated areas.

Incompatible Materials Acids

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Removal of mould and mildew stains on a household scale Observe precautions in section 7.1.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

sodium hypochlorite

Short-term exposure limit (15-minute): EU ELV 0.5 ppm 1.5 mg/m³ Chlorine

Short-term exposure limit (15-minute): EH40 WEL 0.5 ppm 1.5 mg/m³ Chlorine

Sodium Hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

Amines, C12-18(even numbered)-alkyldimethyl, N-oxides (CAS: 68955-55-5)

Astonish Mould & Mildew Blaster

DNEL	Workers - Dermal; systemic effects: 11 mg/kg/day Workers - Inhalation; systemic effects: 15.5 mg/m³ Workers - Dermal; local effects: 0.27 % General population - Dermal; systemic effects: 5.5 mg/kg/day General population - Inhalation; systemic effects: 3.8 mg/m³ General population - Oral; systemic effects: 0.44 mg/kg/day
PNEC	- Fresh water; 0.0335 mg/l - marine water; 0.00335 mg/l - Intermittent release; 0.0335 mg/l - Sediment (Freshwater); 5.24 mg/kg - Sediment (Marinewater); 0.524 mg/kg - Soil; 1.02 mg/kg - STP; 24 mg/kg

8.2. Exposure controls

Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Wear protective gloves made of the following material: Butyl rubber. Polyvinyl chloride (PVC). Chloroprene rubber.
Respiratory protection	Use in a well ventilated area. If this is not possible use a respirator with combination filter e.g. B-P2 or B-P3
Environmental exposure controls	This product does not pose a hazard in normal use when following the usage instructions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear thin liquid
Colour	Colourless to Pale Yellow
Odour	Fruity/Chlorine Bleach
Odour threshold	Not known.
pH	pH (concentrated solution): 12.0 - 13.7
Melting point	Not known.
Initial boiling point and range	Not measured (>100°C)
Flash point	Not applicable.
Evaporation rate	Not measured.
Evaporation factor	Not known.
Flammability (solid, gas)	Does not ignite.
Upper/lower flammability or explosive limits	Does not ignite.
Other flammability	Not relevant.
Vapour pressure	Not available.
Vapour density	> 1 (Air=1)
Relative density	1.010 - 1.050 @ 20°C
Bulk density	Not relevant.

Astonish Mould & Mildew Blaster

Solubility(ies)	Soluble in water
Partition coefficient	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not available.
Viscosity	Not determined.
Explosive properties	None
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not applicable.

9.2. Other information

Other information	None.
--------------------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Will react with acids to produce chlorine gas
-------------------	---

10.2. Chemical stability

Stability	Decomposes under normal conditions over a very long period. See Section 10.3 (Possibility of hazardous reactions) for further information.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Will produce chlorine when reacted with acids. Retail pack will produce such low volumes the risk to health is considered negligible.
---	---

10.4. Conditions to avoid

Conditions to avoid	Avoid heat, Chlorine gas will be liberated upon heating Avoid contact with acids, may produce toxic gas (chlorine).
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Avoid contact with acids, organic materials, hydrogen peroxide, metal salts, copper, nickel, iron and ammonia and ammonium compounds - Chlorine gas will be liberated upon contact.
---------------------------	---

10.6. Hazardous decomposition products

Hazardous decomposition products	Rapid and extreme decomposition may release acids of phosphorus, phosphorus oxides, carbon oxides, hydrogen chloride, chlorine and chlorine oxides.
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	This mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.
------------------------------	---

Toxicological information on ingredients.

sodium hypochlorite

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	3,400.0
--	---------

Astonish Mould & Mildew Blaster

Species Mouse

ATE oral (mg/kg) 3,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 10.5

Species Rat

Sodium Hydroxide

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,000.0

Species Rat

SECTION 12: Ecological information

12.1. Toxicity

Toxicity The mixture has not been tested. Based on the available data of the ingredients the classification criteria are not met.

Ecological information on ingredients.

sodium hypochlorite

Acute aquatic toxicity

LE(C)₅₀ 0.01 < L(E)C₅₀ ≤ 0.1

M factor (Acute) 10

Acute toxicity - fish LC₅₀, 96 hours: 0.22 - 0.62 mg/l, Pimephales promelas

Acute toxicity - aquatic invertebrates EC₅₀, 96 hours: 2.1 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 24 hours: 28 mg/l, Desmodium subspicatus

Sodium Hydroxide

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 125 mg/l, Freshwater fish

Acute toxicity - aquatic invertebrates EC₅₀, 24 hours: 76 mg/l, Daphnia magna

Acute toxicity - microorganisms EC₅₀, 15 minute: 22 mg/l, Bacteria

12.2. Persistence and degradability

Persistence and degradability Contains detergents that satisfy the bio-degradation requirements of directive 648/2004/EC.

Astonish Mould & Mildew Blaster

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not known.

12.4. Mobility in soil

Mobility The components of the mixture are readily absorbed into soil and are mobile in water environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment No data available.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the environment. Dispose of contaminated packaging in the same way as the product itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Astonish Mould & Mildew Blaster

National regulations	For Great Britain after the end of the transitional period, the EU Detergents Regulation - has been amended by the Detergents EU Exit Statutory Instruments (SIs), that is: the Detergents (Amendment) (EU Exit) Regulations 2019 (S.I. 2019/672) the Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (S.I. 2019/671) the Detergents (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1617)
EU legislation	This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by 453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP). Dangerous Preparations Directive 1999/45/EC. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ATE: Acute Toxicity Estimate. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. EC ₅₀ : 50% of maximal Effective Concentration. ECHA: European Chemicals Agency GHS: Globally Harmonized System. LC ₅₀ : Lethal Concentration to 50 % of a test population. LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose). PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. vPvB: Very Persistent and Very Bioaccumulative.
General information	Note: The hazard statements below are explanations of phrases used in the SDS as abbreviations and DO NOT apply to the product. The statements applicable to the product are those identified in Section 2 only. Any animal testing information or data listed in this safety data sheet is historic published data within the public domain. There is a requirement to declare this information if it is known and this does not impact our cruelty free status. The London Oil Refining Company Ltd does not commission animal testing.
Revision comments	Revised formulation. Updated Regulatory Information In Section 15
Issued by	The London Oil Refining Company Ltd
Revision date	21/09/2021
Revision	10.1
Supersedes date	23/03/2021
SDS number	4916

Astonish Mould & Mildew Blaster

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.